



The Canadian Institute for
Obsessive Compulsive Disorders
l'institut Canadien des Troubles Obsessifs Compulsifs

Clinician Bibliography (updated 2016)

Reproduced and adapted with permission from: Sookman, D. (2016). Specialized cognitive behavior therapy for Obsessive Compulsive Disorder: An expert clinician guidebook, Routledge. <http://www.tandf.net/books/details/9780415899536/>

Abramowitz, J. S. (1996). Variants of exposure and response prevention in the treatment of obsessive-compulsive disorder: a meta-analysis. *Behavior Therapy*, 27, 583–600.

Abramowitz, J. S. (1997). Effectiveness of psychological and pharmacological treatments for obsessive-compulsive disorder: a quantitative review. *Journal of Consulting and Clinical Psychology*, 65, 44–52.

Abramowitz, J. S. (2006). *Understanding and treating obsessive-compulsive disorder: A cognitive behavioral approach*. Mahwah, NJ: Lawrence Erlbaum.

Abramowitz, J. S. (2009). *Getting over OCD: A 10-step workbook for taking back your life*. New York: Guilford Press.

Abramowitz, J. S., Foa, E. B., & Franklin, M. E. (2003). Exposure and ritual prevention for obsessive-compulsive disorder: effectiveness of intensive versus twice-weekly treatment sessions. *Journal of Consulting and Clinical Psychology*, 71, 394–398



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

- Abramowitz, J. S., Khandker, M., Nelson, C. A., Deacon, B. J., & Rygwall, R. (2006). The role of cognitive factors in the pathogenesis of obsessive-compulsive symptoms: a prospective study. *Behaviour Research and Therapy*, *44*, 1361–1374.
- Abramowitz, J. S., McKay, D., & Taylor, S. (2008). *Obsessive-compulsive disorder: Subtypes and spectrum conditions*. Amsterdam: Elsevier.
- Adams, T. G., Riemann, B. C., Wetterneck, C. T., & Cisler, J. M. (2012). Obsessive beliefs predict effectiveness of cognitive-behavior therapy for obsessive-compulsive disorder. *Cognitive Behaviour Therapy*, *41*, 203–211.
- American Psychiatric Association. (2007). Practice guideline for the treatment of patients with obsessive-compulsive disorder. *American Journal of Psychiatry*, *164*, 1–56.
- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: American Psychiatric Publishing.
- American Psychological Association. (2002). *Ethical principles of psychologists and code of conduct*. Retrieved from: <http://www.apa.org/ethics/>.
- Antony, M. M., Purdon, C., & Summerfeldt, L. J. (Eds.) (2007). *Psychological treatment of OCD: Fundamentals and beyond*. Washington, DC: American Psychological Association.
- Araujo, L. A., Ito, L. M., & Marks, I. (1996). Early compliance and other factors predicting outcomes of exposure for obsessive–compulsive disorder. *British Journal of*



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

Psychiatry, 169, 747–752.

Arntz, A., Rauner, M., & van den Hout, M. A. (1995). “If I feel anxious, there must be a danger”: ex-consequencia reasoning in inferring danger in anxiety disorders.

Behaviour Research and Therapy, 33, 917–925.

Baer, L., & Minichiello, W. E. (1998). Behavior therapy for obsessive- compulsive disorder. In M. A. Jenike, L. Baer, & W. E. Minichiello (Eds.), *Obsessive compulsive disorder: Practical management* (pp. 132–164). St. Louis: Mosby.

Ball, S. G., Baer, L., & Otto, M. W. (1996). Symptom subtypes of obsessive–compulsive disorder in behavioral treatment studies: a quantitative review. *Behaviour Research and Therapy, 47, 47–51.*

Beahrs, J. O., & Gutheil, T. G. (2001). Informed consent in psychotherapy. *American Journal of Psychiatry, 158, 4–10.*

Beck, A. T. 1967. *Depression: Clinical, experimental, and theoretical aspects.* Philadelphia: University of Pennsylvania Press.

Beck A. T. (1976). *Cognitive therapy and the emotional disorders.* New York: International Universities Press.

Beck, A. T. (1996). Beyond belief: a theory of modes, personality, and psychopathology. In P. M. Salkovskis (Eds.), *Frontiers of cognitive therapy* (pp. 1–25). New York: Guilford Press.

Beck, A. T., Rush, A. J., Shaw, B. R., & Emery, G. (1979). *Cognitive therapy of depression.*



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

New York: Guilford Press

- Beck, A. T., Emery, G., & Greenberg, R. L. (1985). *Anxiety disorder and phobias: A cognitive perspective*. New York: Basic Books.
- Beck, A. T., & Freeman, A. (1990). *Cognitive therapy of personality disorders*. New York: Guilford Press
- Beck, A. T., Steer, R. A., & Brown, G. K. (1996). *Manual for the Beck Depression Inventory-II*. San Antonio, TX: Psychological Corporation.
- Beck, A. T., & Clark, D. A. (1997). An information processing model of anxiety: automatic and strategic processes. *Behavior Research and Therapy*, *35*, 49–58.
- Beck, A. T., & Haigh, E. P. (2014). Advances in cognitive theory and therapy: the generic cognitive model. *Annual Review of Clinical Psychology*, *10*, 1–24.
- Beck, J. (2005). *Cognitive therapy for challenging problems: What to do when the basics don't work*. New York: The Guilford Press.
- Bell, E. C., Marcus, D. K., & Goodlad, J. K. (2013). Are the parts as good as the whole? A meta-analysis of component treatment studies. *Journal of Consulting and Clinical Psychology*, *81*, 722–736.
- Belloch, A., Cabedo, E., & Carrio, C. (2008). Cognitive versus behaviour therapy in the individual treatment of obsessive-compulsive disorder: changes in cognitions and clinically significant outcomes at post-treatment and follow-up. *Behavioural and Cognitive Psychotherapy*, *36*, 521–540.



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

Belotto-Silva, C., Diniz, J. B., Malavazzi, D. M., Valério, C., Fossaluza, V., Borcato, S., . . .

Shavitt, R. G. (2012). Group cognitive-behavioral therapy versus selective serotonin reuptake inhibitors for obsessive-compulsive disorder: a practical clinical trial. *Journal of Anxiety Disorders, 26*, 25–31

Berney, A., Leyton, M., Gravel, P., Sibon, I., Sookman, D., Rosa Neto, P., . . . Benkelfat, C.

(2011). Brain regional α -[¹¹C]methyl-L-tryptophan trapping in medication-free patients with obsessive-compulsive disorder. *Archives of General Psychiatry, 68*, 732–741.

Bloch, M. H., Craiglow, B. G., Landeros-Weisenberger, A., Dombrowski, P. A., Panza, K.

E., Peterson, B. S., & Leckman, J. F. (2009). Predictors of early adult outcomes in pediatric-onset obsessive-compulsive disorder. *Pediatrics, 124*, 1085–1093.

Bloch, M. H., Green, C., Kichuk, S. A., Dombrowski, P. A., Wasylink, S., Billingslea, E., . . .

Pittenger, C. (2013). Long-term outcome in adults with obsessive-compulsive disorder. *Depression and Anxiety, 30*, 716–722.

Boeding, S. E., Paprocki, C. M., Baucom, D. H., Abramowitz, J. S., Wheaton, M. G.,

Fabricant, L. E., & Fischer, M. S. (2013). Let me check that for you: symptom accommodation in romantic partners of adults with obsessive-compulsive disorder. *Behaviour Research and Therapy, 51*, 316–322.

Boschen, M. J., & Drummond, L. M. (2012). Community treatment of severe, refractory

obsessive-compulsive disorder. *Behaviour Research And Therapy, 50*, 203–209.

Bouton, M. E. (2002). Context, ambiguity, and unlearning: sources of relapse after



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

behavioral extinction. *Biological Psychiatry*, 52, 976–986.

- Bowlby, J. (1985). The role of childhood experience in cognitive disturbance. In M. J. Mahoney, & A. Freeman (Eds.), *Cognition and psychotherapy* (pp. 181–200). New York: Plenum Press.
- Braga, D. T., Cordioli, A. V., Niederauer, K., & Manfro, G. G. (2005). Cognitive- behavioral group therapy for obsessive-compulsive disorder: a 1-year follow- up. *Acta Psychiatrica Scandinavica*, 112, 180–186
- Braga, D. T., Cordioli, A. V., Niederauer, K., Manfro, G. G. (2005). Cognitive-behavioral group therapy for obsessive- compulsive disorder: a 1-year follow-up. *Acta Psychiatry Scandinavia*, 112, 180–186.
- Brennan, B. P., Lee, C., Elias, J. A., Crosby, J. M., Mathes, B. M., Andre, M., . . . Hudson, J. I. (2014). Intensive residential treatment for severe obsessive-compulsive disorder: characterizing treatment course and predictors of response. *Journal of Psychiatric Research*, 56, 98–105.
- Bystritsky, A., Saxena, S., Maidment, K., Vapnik, T., Tarlow, G., & Rosen, R. (1999). Quality of life changes among patients with obsessive-compulsive disorder in a partial hospitalization program. *Psychiatric Services*, 50, 412–414.
- Bystritsky, A., Liberman, R., Hwang, S., Wallace, C. J., Vapnik, T., Maidment, K., & Saxena, S. (2001). Social functioning and quality of life comparisons between obsessive-compulsive and schizophrenic disorders. *Depression And Anxiety*, 14, 214–218.



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

Calamari, J. E., Wiegartz, P. S., Riemann, B. C., Cohen, R. J., Greer, A., Jacobi, D. M., . . .

Carmin, C. (2004). Obsessive-compulsive disorder subtypes: an attempted replication and extension of a symptom-based taxonomy. *Behaviour Research and Therapy, 42*, 647–670.

Calamari, J., Cohen, R., Rector, N., Szacun-Shimizu, K., Riemann, B., Norberg, M. (2006). Dysfunctional belief- based obsessive-compulsive disorder subgroups. *Behaviour Research and Therapy, 44*, 1347–1360.

Calvocoressi, L., Lewis, B., Harris, M., Trufan, S. J., Goodman, W. K., McDougle, C. J., & Price, L. H. (1995). Family accommodation in obsessive-compulsive disorder. *American Journal of Psychiatry, 152*, 441–443.

Cartwright-Hatton, S., & Wells, A. (1997). Beliefs about worry and intrusions: the Meta-Cognitions Questionnaire and its correlates. *Journal of Anxiety Disorders, 11*, 279–296.

Chamberlain, S. R., Menzies, L., Hampshire, A., Suckling, J., Fineberg, N. A., del Campo, N., . . . Sahakian, B. J. (2008). Orbitofrontal dysfunction in patients with obsessive-compulsive disorder and their unaffected relatives. *Science, 321*, 421–422.

Chambless, D. L., & Steketee, G. (1999). Expressed emotion and behavior therapy outcome: A prospective study with obsessive- compulsive and agoraphobic outpatients. *Journal of Consulting and Clinical Psychology, 67*, 658–665.

Challacombe, F., Salkovskis, P. M., & Oldfield, V. B. (2011). *Break free from OCD: Overcoming obsessive compulsive disorder with CBT*. London: Vermilion



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

Clark, D. A., (2004). *Cognitive-behavioral therapy for OCD*. New York: Guilford Press.

Clark, D. A., Abramowitz, J., Alcolado, G. M., Alfonso, P., Belloch, A., Bouvard, M., . . .

Wong, W. (2014). Part 3. A question of perspective: the association between intrusive thoughts and obsessionality in 11 countries. *Journal of Obsessive-Compulsive and Related Disorders*, *3*, 292–299.

Clark, D. A., & Radomsky, A. S. (2014). Introduction: a global perspective on unwanted intrusive thoughts. *Journal of Obsessive Compulsive and Related Disorders*, *3*, 265–268.

Coles, M. E., Frost, R. O., Heimberg, R. G., & Rheaume, J. (2003). “Not just right experiences”: perfectionism, obsessive-compulsive features and general psychopathology. *Behaviour Research and Therapy*, *41*, 681–700.

Coles, M. E., Heimberg, R. G., Frost, R. O., & Steketee, G. (2005). Not just right experiences and obsessive-compulsive features: experimental and self-monitoring perspectives. *Behaviour Research and Therapy*, *43*, 153–167.

Cordioli, A. V., Heldt, E., Bochi, D., Margis, R., de Sousa, M., Tonello, J., . . . Kapczinski, F. (2003). Cognitive-behavioral group therapy in obsessive-compulsive disorder: a randomized clinical trial. *Psychotherapy and Psychosomatics*, *72*, 211–216.

Cottraux, J., Note, I., Yao, S. N., Lafont, S., Note, B., Mollard, E., . . . Dartigues, J. F. (2001). A randomized controlled trial of cognitive therapy versus intensive behavior therapy in obsessive–compulsive disorder. *Psychotherapy and Psychosomatics*, *70*, 288–297.



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

- Cottraux, J., Bouvard, M. A., & Milliere, M. (2005). Combining pharmacotherapy with cognitive-behavioral interventions for obsessive-compulsive disorder. *Cognitive Behavior Therapy, 34*, 185–192.
- Coughtrey, A., Shafran, R., Lee, M., & Rachman, S. J. (2012). It's the feeling inside my head: a qualitative analysis of mental contamination in obsessive-compulsive disorder. *Journal of Behavioural and Cognitive Psychotherapy, 40*, 163–173.
- Craske, M. G., Kircanski, K., Zelikowsky, M., Mystkowski, J., Chowdhury, N., & Baker, A. (2008). Optimizing inhibitory learning during exposure therapy. *Behaviour Research and Therapy, 46*, 5–27.
- Craske, M. G., Treanor, M., Conway, C. C., Zbozinek, T., & Vervliet, B. (2014). Maximizing exposure therapy: an inhibitory learning approach. *Behaviour Research and Therapy, 58*, 10–23.
- Daflos, S., & Whittal, M. L. (2012). Exposure therapy in OCD: is there a need for adding cognitive elements? In P. Neudeck & H. Witcchen (Eds.), *Exposure therapy: Rethinking the model- refining the method* (pp. 335–350). New York: Springer.
- De Bruijn, C., Beun, S., de Graaf, R., Have, M. T., & Denys, D. (2010). Subthreshold symptoms and obsessive-compulsive disorder: Evaluating the diagnostic threshold. *Psychological Medicine, 40*, 989–997.
- Dell'Osso, B. B., Buoli, M. M., Hollander, E. E., & Altamura, A. C. (2010). Duration of untreated illness as a predictor of treatment response and remission in obsessive-compulsive disorder. *The World Journal of Biological Psychiatry, 11*, 59–65.



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

Dell'Osso, B. B., Benatti, B., Buoli, M., Altamura, A., Marazziti, D., Hollander, E., . . .

Zohar, J. (2013). The influence of age at onset and duration of illness on long-term outcome in patients with obsessive-compulsive disorder: a report from the International College of Obsessive Compulsive Spectrum Disorders (ICOCS).

European Neuropsychopharmacology, 23, 865–871.

Denys, D., Tenney, N., van Megen, H. M., de Geus, F., & Westenberg, H. M. (2004). Axis I and II comorbidity in a large sample of patients with obsessive–compulsive disorder. *Journal of Affective Disorders, 80*, 155–162.

Diefenbach, G. J., Abramowitz, J. S., Norberg, M. M., & Tolin, D. F. (2007). Changes in quality of life following cognitive-behavioral therapy for obsessive-compulsive disorder. *Behaviour Research and Therapy, 45*, 3060–3068.

Diniz, J. B., Malavazzi, D. M., Fossaluza, V., Belotto-Silva, C., Pimentel, I., Miguel, E. C., & Shavitt, R. G. (2011). Risk factors for early treatment discontinuation in patients with obsessive-compulsive disorder. *Clinics (Sao Paulo, Brazil) 66*, 387–393.

Diniz, J. B., Shavitt, R. G., Fossaluza, V., Koran, L., de Braganca Pereira, C. A., & Miguel, E.C. (2011). A double-blind, randomized, controlled trial of fluoxetine plus quetiapine or clomipramine versus fluoxetine plus placebo for obsessive-compulsive disorder. *Journal of Clinical Psychopharmacology, 31*, 763–768.

Drummond, L. M., Fineberg, N. A., Heyman, I. I., Kolb, P. J., Pillay, A. A., Rani, S. S., . . . Veale, D. D. (2008). National service for adolescents and adults with severe obsessive-compulsive and body dysmorphic disorders. *Psychiatric Bulletin, 32*,



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

333–336.

- Drummond, L. M., Fineberg, N. A., Heyman, I., Veale, D., & Jessop, E. (2013). Use of specialist services for obsessive–compulsive and body dysmorphic disorders across England. *The Psychiatrist*, *37*, 135–140.
- Eddy, K. T., Dutra, L., Bradley, R., & Westen, D. (2004). A multidimensional meta-analysis of psychotherapy and pharmacotherapy for obsessive-compulsive disorder. *Clinical Psychology Review*, *24*, 1011–1030.
- Eisen, J. L., Phillips, K. A., Baer, L., Beer, D. A., Atala, K. D., & Rasmussen, S. A. (1998). The Brown Assessment of Beliefs Scale: reliability and validity. *The American Journal of Psychiatry*, *155*, 102–108.
- Eisen, J. L., Mancebo, M. A., Pinto, A., Coles, M. E., Pagano, M. E., Stout, R., & Rasmussen, S. A. (2006). Impact of obsessive-compulsive disorder on quality of life. *Comprehensive Psychiatry*, *47*, 270–275.
- Eisen, J. L., Sibrava, N. J., Boisseau, C. L., Mancebo, M. C., Stout, R. L., Pinto, A., & Rasmussen, S. A. (2013). Five-year course of obsessive-compulsive disorder: predictors of remission and relapse. *Journal of Clinical Psychiatry*, *74*, 233–239.
- Emmelkamp, P. M. G., van Oppen, P., & van Balkom A. J. (2002). Cognitive changes in patients with obsessive–compulsive rituals treated with exposure *in vivo* and response prevention. In R. O. Frost & G. S. Steketee (Eds.), *Cognitive approaches to obsessions and compulsions: Theory, assessment and treatment* (pp. 391–401). Amsterdam: Elsevier.



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

Farris, S. G., McLean, C. P., Van Meter, P. E., Simpson, H., & Foa, E. B. (2013). Treatment response, symptom remission, and wellness in obsessive-compulsive disorder. *Journal of Clinical Psychiatry, 74*, 685–690.

Feinstein, S. B., Fallon, B. A., Petkova, E., & Liebowitz, M. R. (2003). Item-by-item factor analysis of the Yale-Brown Obsessive-Compulsive Scale Symptom Checklist. *Journal of Neuropsychiatry and Clinical Neurosciences, 15*, 187–193.

Ferrão, Y., Shavitt, R., Prado, H., Fontenelle, L. F., Malavazzi, D., de Mathis, M., . . . do Rosário, M. (2012). Sensory phenomena associated with repetitive behaviors in obsessive-compulsive disorder: an exploratory study of 1001 patients. *Psychiatry Research, 197*, 253–258.

Fineberg, N. A., Brown, A., Reghunandanan, S., & Pampaloni, I. (2012). Evidence-based pharmacotherapy of obsessive-compulsive disorder. *International Journal of Neuropsychopharmacology, 15*, 1173–1191.

Fineberg, N. A., Hengartner, M. P., Bergbaum, C. E., Gale, T. M., Gamma, A., Ajdacic-Gross, V., . . . Angst, J. (2013a). A prospective population-based cohort study of the prevalence, incidence and impact of obsessive-compulsive symptomatology. *International Journal of Psychiatry in Clinical Practice, 17*, 170–178.

Fineberg, N. A., Reghunandanan, S., Brown, A., & Pampaloni, I. (2013b). Pharmacotherapy of obsessive-compulsive disorder: evidence based treatment and beyond. *Australian and New Zealand Journal of Psychiatry, 2*, 121–141.

Fineberg, N. A., Baldwin, D. S., Menchon, J. M., Denys, D., Grünblatt, E., Pallanti, S.,



The Canadian Institute for
Obsessive Compulsive Disorders

[l'institut Canadien des Troubles Obsessifs Compulsifs](#)

[Stein D. J., Zohar, J. \(2013c\)](#). The obsessive compulsive and related disorders research network manifesto for a European research network into obsessive-compulsive and related disorders. *European Neuropsychopharmacology*, *23*, 561–568.

Foa E. B. (1995). The Posttraumatic Diagnostic Scale (PDS) manual. Minneapolis, MN: National Computer Systems.

Foa, E. B. & Kozak, M. J. (1985). Treatment of anxiety disorders: implications for psychopathology. In A. H. Tuma & J. D. Maser (Eds.), *Anxiety and the anxiety disorders* (pp. 421–452). Hillsdale, NJ: Erlbaum.

Foa, E. B., & McNally, R. J. (1996). Mechanisms of change in exposure therapy. In R. M. Rapee (Eds.), *Current controversies in the anxiety disorders* (pp. 329–343). New York: Guilford Press.

Foa, E. B., Abramowitz, J. S., Franklin, M. E., & Kozak, M. J. (1999). Feared consequences, fixity of belief, and treatment outcome in patients with obsessive–compulsive disorder. *Behavior Therapy*, *30*, 717–724.

Foa, E. B., & Franklin, M. E. (2003). Cognitive-behavioral therapy: efficacy and applications. *CNS Spectrums*, *8*, 339.

Foa, E. B., Liebowitz, M. R., Kozak, M. J., Davies, S., Campeas, R., Franklin, M. E., . . . Tu, X. (2005). Randomized, placebo-controlled trial of exposure and ritual prevention, clomipramine, and their combination in the treatment of obsessive-compulsive disorder. *The American Journal of Psychiatry*, *162*, 151–161.



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

Foa, E. B., Yadin, E., & Lichner, T. K. (2012). *Exposure and response (ritual) prevention for obsessive-compulsive disorder: Therapist guide (2nd ed.)*. Oxford: Oxford University Press.

Foa, E. B., Simpson, H. B., Liebowitz, M. R., Powers, M. B., Rosenfield, D., Cahill, S. P., . . . Williams, M. T. (2013). Six-month follow-up of a randomized controlled trial augmenting serotonin reuptake inhibitor treatment with exposure and ritual prevention for obsessive-compulsive disorder. *Journal of Clinical Psychiatry, 74*, 464–469.

Fontenelle, L. F., Soares, I. D., Marques, C., Rangé, B., Mendolowicz, M. V., & Versiani, M. (2000). Sudden remission of obsessive-compulsive disorder by involuntary, massive exposure. *Canadian Journal of Psychiatry, 45*, 666–667.

Fontenelle, L. F., Barbosa, I., Luna, J., Rocha, N., Miranda, A., & Teixeira, A. (2012). Neurotrophic factors in obsessive-compulsive disorder. *Psychiatry Research, 199*, 195–200.

Franklin, M. E., Abramowitz, J. S., Kozak, M. J., Levitt, J. T., & Foa, E. B. (2000). Effectiveness of exposure and ritual prevention for obsessive-compulsive disorder: randomized compared with nonrandomized samples. *Journal of Consulting and Clinical Psychology, 68*, 594–602.

Franklin, M. E., Foa, E. B., & March, J. S. (2003). The pediatric OCD treatment Study (POTS): rationale, design and methods. *Journal of Child Adolescent Psychopharmacology, 13*, 39–52.



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

Franklin, M. E., & Foa, E. B. (2011). Treatment of obsessive-compulsive disorder. *Annual Review of Clinical Psychology, 7*, 229–243.

Freeston, M. H., Ladouceur, R., Gagnon, F., Thibodeau, N., Rheaume, J., & Letarte, H. (1997). Cognitive-behavioral treatment of obsessive thoughts: a controlled study. *Journal of Consulting and Clinical Psychology, 65*, 405–413.

Fritzler, R. O., Hecker, J. E., & Losee, M. C. (1997). Self-directed treatment with minimal therapist contact: preliminary findings for obsessive–compulsive disorder. *Behaviour Research and Therapy, 35*, 627–631.

Gilbert, P., & Leahy, R. L. (2007). *The therapeutic relationship in the cognitive behavioral psychotherapies*. New York: Routledge/Taylor & Francis Group.

Gillihan, S. J., Williams, M. T., Malcoun, E., Yadin, E., & Foa, E. B. (2012). Common pitfalls in exposure and ritual prevention (Ex/RP) for obsessive-compulsive disorder. *Journal of Obsessive-Compulsive and Related Disorders, 1*, 251–257.

Goldstein, A. J., & Chambless, D. L. (1978). A reanalysis of agoraphobia. *Behavior Therapy, 9*, 47–59.

Gomes, J. B., Van Noppen, B., Pato, M., Braga, D. T., Meyer, E., Bortoncello, C. F., & Cordioli, A. V. (2014). Patient and family factors associated with family accommodation in obsessive–compulsive disorder. *Psychiatry and Clinical Neurosciences, 68*, 621–630.



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

- Goodman, W. K., Price, L. H., Rasmussen, S. A., Mazure, C., Fleischmann, R. L., Hill, C. L., . . . Charney, D. S. (1989). The Yale-Brown Obsessive Compulsive Scale. I. Development, use, and reliability. *Archives of General Psychiatry*, *46*, 1006–1011.
- Goodwin, R., Koenen, K. C., Hellman, F., Guardino, M., & Struening, E. (2002). Help seeking and access to mental health treatment for obsessive–compulsive disorder. *Acta Psychiatrica Scandinavica*, *106*, 143–149.
- Gothelf, D., Aharonovsky, O., Horesh, N., Carty, T., & Apter, A. (2004). Life events and personality factors in children and adolescents with obsessive-compulsive disorder and other anxiety disorders. *Comprehensive Psychiatry*, *45*, 192–198.
- Grant, J. E. (2014). Obsessive-compulsive disorder. *The New England Journal of Medicine*, *371*, 646–653.
- Greenberg, L. S., & Safran, J. D. (1987). *Emotion in psychotherapy: Affect, cognition and the process of change*. New York: Guilford Press.
- Grisham, J. R., Fullana, M. A., Mataix-Cols, D. D., Moffitt, T. E., Caspi, A. A., & Poulton, R. (2011). Risk factors prospectively associated with adult obsessive–compulsive symptom dimensions and obsessive–compulsive disorder. *Psychological Medicine*, *41*, 2495–2506.
- Guidano, V. F., & Liotti, G. (1985). A constructivist foundation for cognitive therapy. In Mahoney, M. J. & Freeman, A. M. (Eds.), *Cognitive and psychotherapy* (pp. 101–142). New York: Plenum.



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

Guidano, V. F. (1990). *The self in process. Towards a post-rationalist cognitive therapy.*

New York: The Guilford Press.

Guy, W. (1976). *ECDEU Assessment Manual for Psychopharmacology.* Rockville, MD: US

Department of Health, Education, and Welfare Public Health Service Alcohol, Drug Abuse, and Mental Health Administration.

Gwilliam, P., Wells, A., & Cartwright-Hatton, S. (2004). Does meta-cognition or responsibility predict obsessive-compulsive symptoms: a test of the metacognitive model. *Clinical Psychology & Psychotherapy, 11*, 137–144.

Hansen, B., Vogel, P. A., Stiles, T. C., & Götestam, K. G. (2007). Influence of co-morbid generalized anxiety disorder, panic disorder and personality disorders on the outcome of cognitive behavioural treatment of obsessive-compulsive disorder. *Cognitive Behaviour Therapy, 36*, 145–155.

Hawke, L. D., & Provencher, M. D. (2011). Schema theory and schema therapy in mood and anxiety disorders: a review. *Journal of Cognitive Psychotherapy, 25*, 257–276.

Hawke, L. D., Provencher, M. D., & Arntz, A. (2011). Early maladaptive schemas in the risk for bipolar spectrum disorders. *Journal of Affective Disorders, 133*, 428–436.

Hayes, S. C., Follette, V. M., & Linehan, M. M. (Eds.). (2004). *Mindfulness and acceptance: Expanding the cognitive-behavioral tradition.* New York: Guilford Press.



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

- Herba, J. K., & Rachman, S. J. (2007). Vulnerability to mental contamination. *Behaviour Research and Therapy, 45*, 2804–2812.
- Himle, J. A., Van Etten, M. L., Janeck, A. S., & Fischer, D. J. (2006). Insight as a predictor of treatment outcome in behavioural group treatment for obsessive– compulsive disorder. *Cognitive Therapy and Research, 30*, 661– 666.
- Hohagen, F., Winkelmann, G., Rasche-Raeuchle, H., Hand, I., Koenig, A., Muenchau, N., . . . Berger M (1998). Combination of behaviour therapy with fluvoxamine in comparison with behaviour therapy and placebo: results of a multicentre study. *British Journal of Psychiatry 173*, 71–78.
- Hollander, E., Known, K., Won, J. H., Stein, D. J., Broatch, J., Rowland, C. T., Himelein, C. A. (1996). Obsessive-compulsive and spectrum disorders: overview and quality of life issues. *Journal of Clinical Psychiatry, 57*, 3–6,
- Hollander, E., Koran, L. M., Goodman, W. K., Greist, J. H., Ninan, P. T., Yang, H., & Barbato, L. M. (2003). A double- blind, placebo-controlled study of the efficacy and safety of controlled-release fluvoxamine in patients with obsessive-compulsive disorder. *Journal of Clinical Psychiatry, 64*, 640–647
- Hollander, E., & Zohar, J. (2004). Beyond refractory obsessions and anxiety states: towards remission. *Journal of Clinical Psychiatry, 65*, 2–5.
- Hollander, E., Stein, D., Fineberg, N. A., & Legault, M. (2010). Quality of life outcomes in patients with obsessive-compulsive disorder: relationship to treatment response and symptom relapse. *Journal of Clinical Psychiatry, 71*, 784–792.



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

- Hood, H. K., Antony, M. M., Koerner, N., & Monson, C. M. (2010). Effects of safety behaviours on fear reduction during exposure. *Behaviour Research and Therapy*, *48*, 1161–1169.
- Illing, V., Davies, D., & Shlik, J. (November, 2011). Champlain District OCD Needs Assessment Survey, Royal Ottawa Health Care Group, University of Ottawa. Presented at national conference, *The Canadian Institute for Obsessive Compulsive Disorders: Mandates and developments*, Toronto, Canada.
- Jacob, M. L., Larson, M. J., & Storch, E. A. (2014). Insight in adults with obsessive-compulsive disorder. *Comprehensive Psychiatry*, *55*, 896–903.
- Jacobson, N. S., & Truax, P. (1991). Clinical significance: a statistical approach to defining meaningful change in psychotherapy research. *Journal of Consulting and Clinical Psychology*, *59*, 12–19.
- Janeck, A. S., Calamari, J. E., Riemann, B. C., & Heffelfinger, S. K. (2003). Too much thinking about thinking? Metacognitive differences in obsessive-compulsive disorder. *Journal of Anxiety Disorders*, *17*, 181–195.
- Jones, M. K., & Menzies, R. G. (1998). Danger ideation reduction therapy (DIRT) for obsessive-compulsive washers: a controlled trial. *Behavior Research and Therapy*, *36*, 959–970.
- Kamath, P., Reddy, Y. C., & Kandavel, T. (2007). Suicidal behaviour in obsessive-compulsive disorder. *Journal of Clinical Psychiatry*, *68*, 1741–1750.



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

Kishore, V., Samar, R. R., Reddy, Y., Chandrasekhar, C. R., & Thennarasu, K. K. (2004).

Clinical characteristics and treatment response in poor and good insight obsessive-compulsive disorder. *European Psychiatry, 19*, 202–208.

Koran, L. M., Thienemann, M. L., & Davenport, R. (1996). Quality of life for patients with obsessive–compulsive disorder. *American Journal of Psychiatry, 153*, 783–788.

Koran, L. M., & Simpson, B. (2013). Guideline watch (March 2013): practice guideline for the treatment of patients with obsessive-compulsive disorder. *Psychiatryonline*.

Retrieved from:

<http://psychiatryonline.org/content.aspx?bookid=28§ionid=40634994>

Kordan, A., Kahl, G., Brooks, A., Voderholzer, U., Rasche-Räuchle, H., & Hohagen, F. (2005). Clinical outcome in patients with obsessive–compulsive disorder after discontinuation of SRI treatment: results from a two-year follow-up. *European Archives of Psychiatry and Clinical Neuroscience, 5*, 48–50.

Krebs, G., & Heyman, I. (2010). Treatment-resistant obsessive-compulsive disorder in young people: assessment and treatment strategies. *Child and Adolescent Mental Health, 15*, 2–1.

Krochmalik, A., Jones, M. K., & Menzies, R. G. (2001). Danger Ideation Reduction Therapy (DIRT) for treatment resistant compulsive washing. *Behaviour Research and Therapy, 39*, 897–912.

Leahy, R. L. (2002). A model of emotional schemas. *Cognitive and Behavioral Practice, 9*, 177–190.



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

Leahy, R. L. (2003). Emotional schemas and resistance. In R. Leahy (Eds.), *Roadblocks in cognitive-behavioral therapy: Transforming challenges into opportunities for change* (pp. 91–115). New York: Guilford Press.

Leahy, R. L. (2010). Emotional schemas in treatment resistant anxiety. In D. Sookman & R. L. Leahy (Eds.), *Treatment resistant anxiety disorders: Resolving impasses to symptom remission* (pp. 135–160). New York: Routledge.

Leahy, R. L. (2010). Personal schemas in the negotiation process: a cognitive therapy approach. In M. Galluccio & F. Aquilar (Eds.), *Psychological and political strategies for peace negotiation: A cognitive approach* (pp. 37–54). London: Springer.

Leahy, R. L., Tirch, D., Napolitano, L. A. (2011). *Emotion regulation in psychotherapy: A practitioner's guide*. New York: Guilford Press.

Leckman, J. F., Goodman, W. K., North, W. G., Chappell, P. B., Price, L. H., Pauls, D. L., . . . Cohen, D. J. (1994). Elevated cerebrospinal fluid levels of oxytocin in obsessive-compulsive disorder: comparison with Tourette's syndrome and healthy controls. *Archives of General Psychiatry, 51*, 782–792.

Leckman, J. F., Denys, D., Simpson, H., Mataix-Cols, D., Hollander, E., Saxena, S., . . . Stein, D. J. (2010). Obsessive-compulsive disorder: a review of the diagnostic criteria and possible subtypes and dimensional specifiers for DSM-V. *Depression and Anxiety, 27*, 507–527.



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

- Leonard, H. L., Swedo, S. E., Lenane, M. C., Rettew, D. C., Hamburger, S. D., Bartko, J. J., & Rapoport, J. L. (1993). A 2- to 7-year follow-up study of 54 obsessive-compulsive children and adolescents. *Archives of General Psychiatry, 50*, 429–439.
- Levy, H., & Radomsky, A. S. (2014). Safety behaviour enhances the acceptability of exposure. *Cognitive Behaviour Therapy, 43*, 83–492.
- Levy H., & Radomsky, A. S. (2014). All safety behaviours are not created equal. Manuscript submitted for publication.
- Liotti, G. (1988). Attachment and cognition: a guideline for the reconstruction of the early pathogenic experiences in cognitive psychotherapy. In C. Perris, I. M. Blackburn, & H. Perris (Eds.), *Cognitive psychotherapy: Theory and practice* (pp. 62–79). New York: Springer-Verlag.
- Liotti, G. (1991). Patterns of attachment and the assessment of interpersonal schemata: understanding and changing difficult patient–therapist relationships in cognitive psychotherapy. *Journal of Cognitive Psychotherapy, 5*, 105–114.
- Lissemore, J. I., Leyton, M., Gravel, P., Sookman, D., Nordahl, T. E., & Benfelfat, C. (2014). OCD: serotonergic mechanisms. *PET and SPECT in Psychiatry, 443–450*.
- Lomax, C. L., Oldfield, V. B., & Salkovskis, P. M. (2009). Clinical and treatment comparisons between adults with early and late onset obsessive-compulsive disorder. *Behaviour Research and therapy, 47*, 99–105.



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

Malogiannis, I. A., Arntz, A., Spyropoulou, A., Tsartsara, E., Aggeli, A., Karveli, S., . . .

Zervas, I. (2014). Schema therapy for patients with chronic depression: a single case series study. *Journal of Behavior Therapy and Experimental Psychiatry, 45*, 319–329.

Maltby, N., & Tolin, D. F. (2005). A brief motivational intervention for treatment-refusing OCD patients. *Cognitive Behaviour Therapy, 34*, 176–184.

Mancebo, M. C., Eisen, J. L., Sibrava, N. J., Dyck, I. R., & Rasmussen, S. A. (2011). Patient utilization of cognitive-behavioral therapy for OCD. *Behavior Therapy 42*, 399–412.

March, J. S., Frances, A., Kahn, D. A., & Carpenter, D. (1997). The expert consensus guideline series: treatment of obsessive–compulsive disorder. *Journal of Clinical Psychiatry, 58*, 2–72.

Marker, C., Comer, J., Abramova, V., & Kendall, P. C. (2013). The reciprocal relationship between alliance and symptom improvement across the treatment of childhood anxiety. *Journal of Clinical Child and Adolescent Psychology, 42*, 22–33.

Mataix-Cols, D., Marks, I. M., Greist, J. H., Kobak, K. A., & Baer, L. (2002). Obsessive–compulsive symptom dimensions as predictors of compliance with and response to behaviour therapy: results from a controlled trial. *Psychotherapy and Psychosomatics, 71*, 255–262.

Mataix-Cols, D., Rauch, S. L., Baer, L., Eisen, J. L., Shera, D. M., Goodman, W. K., . . .

Jenike, M. A. (2002). Symptom stability in adult obsessive–compulsive disorder:



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

data from a naturalistic two-year follow-up study. *The American Journal of Psychiatry*, 159, 263–268.

Mataix-Cols, D., & van den Heuvel, O. A. (2012). Neuroanatomy of obsessive compulsive disorders. In G. Steketee (Ed.), *Oxford handbook of obsessive compulsive and spectrum disorders* (pp. 126–145). Oxford: Oxford University Press.

Matsunaga, H., Kiriike, N. N., Matsui, T. T., Oya, K. K., Iwasaki, Y. Y., Koshimune, K. K., . . . Stein, D. J. (2002). Obsessive–compulsive disorder with poor insight. *Comprehensive Psychiatry*, 43, 150–157.

McKay, D. (2006). Treating disgust reactions in contamination-based obsessive-compulsive disorder. *Journal of Behavior Therapy and Experimental Psychiatry*, 37, 53–59.

McLean, P. D., Whittal, M. L., Thordarson, D. S., Taylor, S., Sochting, I., Koch, W. J., Paterson, R., & Anderson, K. W. (2001). Cognitive versus behavior therapy in the group treatment of obsessive–compulsive disorder. *Journal of Consulting and Clinical Psychology*, 69, 205–214.

Miguel, E. C., do Rosário-Campos, M., da Silva Prado, H., do Valle, R., Rauch, S. L., Coffey, B. J., . . . Leckman, J. F. (2000). Sensory phenomena in obsessive-compulsive disorder and Tourette's disorder. *Journal of Clinical Psychiatry*, 61, 150–156.

Millon, T., Millon, C., & Davis, R. (1997). *Millon Clinical Multiaxial Inventory: MCMI-III*. Upper Saddle River, NJ: Pearson Assessments.



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

- Milosevic, I., & Radomsky, A. S. (2008). Safety behaviour does not necessarily interfere with exposure therapy. *Behaviour Research and Therapy*, *46*, 1111–1118.
- Moher, D., Schulz, K. F., Altman, D. G., & CONSORT. (2001). The CONSORT statement: revised recommendations for improving the quality of reports of parallel group randomized trials. *Lancet*, *357*, 1191–1194.
- Morgiève, M. M., N'Diaye, K. K., Haynes, W. A., Granger, B. B., Clair, A. H., Pelissolo, A. A., & Mallet, L. L. (2014). Dynamics of psychotherapy-related cerebral haemodynamic changes in obsessive–compulsive disorder using a personalized exposure task in functional magnetic resonance imaging. *Psychological Medicine*, *44*, 1461–1473.
- Moulding, R., Coles, M. E., Abramowitz, J. S., Alcolado, G. M., Alonso, P., Belloch, A., . . . Wong, W. (2014). Part 2. Do we dislike intrusive thoughts for the same reasons? Links between appraisals, control strategies and intrusions across countries. *Journal of Obsessive Compulsive and Related Disorders*, *3*, 280–291.
- Mowrer, O. H. (1939). A stimulus-response analysis of anxiety and its role as a reinforcing agent. *Psychological Review*, *46*, 553–565.
- Mowrer, O. (1960). *Learning theory and behavior*. Hoboken, NJ: John Wiley & Sons Inc.
- Muse, K., & McManus, F. (2013). A systematic review of methods for assessing competence in cognitive-behavioral therapy. *Clinical Psychology Review*, *33*, 484–499.



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

Nakatani, E., Krebs, G., Micali, N., Turner, C., Heyman, I., & Mataix-Cols, D. (2011).

Children with very early onset obsessive-compulsive disorder: Clinical features and treatment outcome. *Journal of Child Psychology and Psychiatry*, 52, 1261–1268.

Newman, C. F. (2013). Training cognitive behavioral therapy supervisors: didactics, simulated practice, and “meta-supervision”. *Journal of Cognitive Psychotherapy*, 27, 5–18.

National Institute for Health and Clinical Excellence. (2005). Obsessive-compulsive disorder: core interventions in the treatment of obsessive-compulsive disorder and body dysmorphic disorder. *NICE Clinical Guideline 31*. Retrieved from: <http://www.nice.org.uk/nicemedia/pdf/cg031niceguideline.pdf>.

OCCWG. (1997). Cognitive assessment of obsessive-compulsive disorder. *Behaviour Research and Therapy*, 35, 667–681.

OCCWG. (2001). Multiple pathways to inflated responsibility beliefs in obsessional problems: possible origins and implications for therapy and research. *Behaviour Research and Therapy*, 37, 1055–1072.

OCCWG. (2003). Psychometric validation of the Obsessive Beliefs Questionnaire and Interpretation of Intrusions Inventory: part 1. *Behaviour Research and Therapy*, 41, 863–878.



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

OCCWG. (2005). Psychometric validation of the Obsessive Beliefs Questionnaire and the Interpretation of Intrusions Inventory: part II. *Behavior Research and Therapy*, *43*, 1527–1542.

O'Connor, K. P., Aardema, F. F., Robillard, S. S., Guay, S. S., Péliissier, M. C., Todorov, C. C., . . . Doucet, P. P. (2006). Cognitive behaviour therapy and medication in the treatment of obsessive-compulsive disorder. *Acta Psychiatrica Scandinavica*, *113*, 408–419.

Olatunji, B. O., Wolitzky-Taylor, K. B., Willems, J., Lohr, J. M., & Armstrong, T. (2009). Differential habituation of fear and disgust during exposure to threat-relevant stimuli in contamination-based OCD: an analogue study. *Journal of Anxiety Disorders*, *23*, 118–123.

Olatunji, B. O., Cisler, J. M., & Deacon, B. J. (2010). Efficacy of cognitive behavioral therapy for anxiety disorders: A review of meta-analytic findings. *Psychiatric Clinics Of North America*, *33*, 557–577.

Osgood-Hynes, D., Riemann, B., & Björgvinsson, T. (2003). Short-term residential treatment for obsessive-compulsive disorder. *Brief Treatment and Crisis Intervention*, *3*, 413–435.

O'Sullivan, G., Noshirvani, H., Marks, I., Monteiro, W., & Lelliot, P. (1991). Six-year follow-up after exposure and clomipramine therapy obsessive compulsive disorder. *Journal of Clinical Psychiatry*, *52*, 150–155.



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

- Padesky, C. A., & Mooney, K. A. (2012). Strengths-based cognitive-behavioural therapy: a four-step model to build resilience. *Clinical Psychology and Psychotherapy, 19*, 283–290.
- Pallanti, S., Hollander, E., Bienstock, C., Koran, L., Leckman, J., Marazziti, D., . . . Zohar, J. (2002). Treatment non-response in OCD: methodological issues and operational definitions. *International Journal of Neuropsychopharmacology, 5*, 181–191.
- Patel, S. R., Humensky, J. L., Olfson, M., Simpson, H., Myers, R., & Dixon, L. B. (2014). Treatment of obsessive-compulsive disorder in a nationwide survey of office-based physician practice. *Psychiatric Services, 65*, 681–684.
- Peris, T. S., Bergman, R. L., Langley, A., Chang, S., McCracken, J. T., & Piacentini, J. (2008). Correlates of accommodation of pediatric obsessive-compulsive disorder: parent, child, and family characteristics. *Journal of the American Academy of Child and Adolescent Psychiatry, 47*, 1173–1181.
- Peris, T. S., Bergman, R. L., Asarnow, J. R., Langley, A., McCracken, J. T., & Piacentini, J. (2010). Clinical and cognitive correlates of depressive symptoms among youth with obsessive compulsive disorder. *Journal of Clinical Child Adolescence Psychology, 39*, 616–626.
- Peris, T. S., & Piacentini, J. (2013). Optimizing treatment for complex cases of childhood obsessive compulsive disorder: A preliminary trial. *Journal of Clinical Child and Adolescent Psychology, 42*, 1–8.



The Canadian Institute for
Obsessive Compulsive Disorders

[l'institut Canadien des Troubles Obsessifs Compulsifs](#)

- Peris, T. S., & Piacentini, J. (2014). Addressing barriers to change in the treatment of childhood obsessive compulsive disorder. *Journal of Rational-Emotive and Cognitive-Behavior Therapy, 32*, 31–43.
- Phillips, K. A. (2000). Quality of life for patients with body dysmorphic disorder. *Journal of Nervous and Mental Disease, 188*, 170–175.
- Piaget, J. (1960). *The child's conception of the world* (J. & A. Tomilson, Trans.). Totowa, NJ: Littlefield, Adams. (Original work published 1926).
- Pinto-Gouveia, J., Castilho, P., Galhardo, A., & Cunha, M. (2006). Early maladaptive schemas and social phobia. *Cognitive Therapy and Research, 30*, 571–584.
- Piras, F., Piras, F., Caltagirone, C., Spalletta, G. (2013). Brain circuitries of obsessive compulsive disorder: a systematic review and meta-analysis of diffusion tensor imaging studies. *Neuroscience and Biobehavioral Reviews, 37*, 2856–2877.
- Pollard, C. A. (2007). Treatment readiness, ambivalence, and resistance. In M. M. Antony, C. Purdon, & L. Summerfeldt (Eds.), *Psychological treatment of OCD: Fundamentals and beyond*. Washington, D.C.: APA Books.
- Ponniah, K., Magiati, I., & Hollon, S. D. (2013). An update on the efficacy of psychological therapies in the treatment of obsessive-compulsive disorder in adults. *Journal of Obsessive Compulsive Disorder, 2*, 207–218.
- Pope, K. S., & Vasquez, M. J. (2007). *Ethics in psychotherapy and counseling: A practical guide*. San Francisco: Wiley.



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

- Promakoff, L., Epstein, N., & Covi, L. (1986). Homework compliance: an uncontrolled variable in cognitive therapy outcome research. *Behavior Therapy, 17*, 433–446.
- Purdon, C., & Clark, D. A. (1999). Metacognition and obsessions. *Clinical Psychology and Psychotherapy, 6*, 96–101.
- Purdon, C. (2012). Assessing co-morbidity, family, and functioning in OCD. In G. Steketee (Ed.), *Oxford handbook of obsessive compulsive and spectrum disorders* (pp. 275–290). Oxford: Oxford University Press.
- Rachman, S. (1983). Obstacles to the treatment of obsessions. In E. B. Foa & P. M. G. Emmelkamp (Eds.), *Failures in behavior therapy*. New York: Wiley.
- Rachman, S. (1993). Obsessions, responsibility and guilt. *Behaviour Research and Therapy, 31*, 149–154.
- Rachman, S. J. (1994). The overprediction of fear: a review. *Behaviour Research and Therapy, 32*, 683–690.
- Rachman, S. (1997). A cognitive theory of obsessions. *Behaviour Research and Therapy, 35*, 793–802.
- Rachman, S. S. (1998). A cognitive theory of obsessions. In E. E. Sanavio (Ed.), *Behavior and cognitive therapy today: Essays in honor of Hans J. Eysenck* (pp. 209–222). Oxford: Oxford University Press.
- Rachman, S. S. (2002). A cognitive theory of compulsive checking. *Behaviour Research*



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

and Therapy, 40, 624–639.

Rachman, S. (2003). *The treatment of obsessions*. Oxford: Oxford University Press.

Rachman S. (2006). *Fear of contamination: Assessment and treatment*. Oxford: Oxford University Press.

Rachman, S. (2007). Self-constructs in obsessive–compulsive disorder. *Journal of Cognitive Psychotherapy*, 21, 257–261.

Rachman, S. J. (2010). Courage: A psychological perspective. In C. S. Pury, S. J. Lopez (Eds.), *The psychology of courage: Modern research on an ancient virtue* (pp. 91–107). Washington, DC: American Psychological Association.

Rachman, S., Coughtrey, A. E., Shafran, R. & Radomsky, A. (in press). *Oxford guide to the treatment of mental contamination*. Oxford: Oxford University Press.

Rachman, S., & de Silva, P. (1978). Abnormal and normal obsessions. *Behaviour Research and Therapy*, 16, 223–238.

Rachman, S., Radomsky, A. S., & Shafran, R. (2008). Safety behaviour: a reconsideration. *Behaviour Research and Therapy*, 46, 163–173.

Rachman, S., Shafran, R., Radomsky, A. S., & Zysk, E. (2011). Reducing contamination by exposure plus safety behaviour. *Journal of Behavior Therapy and Experimental Psychiatry*, 42, 397–404.



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

Radomsky, A. S., & Rachman, S. (1999). Memory bias in obsessive-compulsive disorder (OCD). *Behaviour Research and Therapy*, *37*, 605–618.

Radomsky, A. S., Gilchrist, P. T., Dussault, D. (2006). Repeated checking really does cause memory distrust. *Behaviour Research & Therapy*, *44*, 305–31.

Radomsky, A. S., Ashbaugh, A. R., & Gelfand, L. A. (2007). Relationships between anger, symptoms, and cognitive factors in OCD checkers. *Behaviour Research and Therapy*, *45*, 2712–2725.

Radomsky, A. S., Shafran, R., Coughtrey, A.E., & Rachman, S. (2010). Cognitive-behavior therapy for compulsive checking in OCD. *Cognitive and Behavioral Practice*, *17*, 119–131.

Radomsky, A. S., Alcolado, G. M., Abramowitz, J. S., Alonso, P., Belloch, A., Bouvard, M., . . . Wing, W. (2014). You can run but you can hide: intrusive thoughts on six continents. *Journal of Obsessive Compulsive and Related Disorders*, *3*, 269–279.

Radomsky, A. S., Dugas, M. J., Alcolado, G. M., Lavoie, S. L. (2014). When more is less: doubt, repetition, memory, metamemory, and compulsive checking in OCD. *Behaviour Research & Therapy*, *59*, 30–39.

Radomsky, A. S., Rachman, S., Shafran, R., Coughtrey, A. E., & Barber, K. C. (2014). The nature and assessment of mental contamination: a psychometric analysis. *Journal of Obsessive Compulsive and Related Disorders*, *3*, 181–187.



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

- Radomsky, A. S., Senn, J. M., Lahoud, M., & Gelfand, L. A. (2014). An informational pathway to the development of a contamination-related memory bias. *Journal of Behavior Therapy and Experimental Psychiatry, 45*, 339–342.
- Rasmussen, J., Steketee, G., Silverman, M., & Wilhelm, S. (2013). The relationship of hoarding symptoms to schizotypal personality and cognitive schemas in an obsessive-compulsive disorder sample. *Journal of Cognitive Psychotherapy, 27*, 384–396.
- Reddy, Y. C., Alur, A. M., Manjunath, S., Kandavel, T., & Math, S. B. (2010). Long-term follow-up study of patients with serotonin reuptake inhibitor-nonresponsive obsessive-compulsive disorder. *Journal of Clinical Psychopharmacology, 30*, 267–272.
- Romanelli, R. J., Wu, F. M., Gamba, R., Mojtabai, R., & Segal, J. B. (2014). Behavioral therapy and serotonin reuptake inhibitor pharmacotherapy in the treatment of obsessive-compulsive disorder: a systematic review and meta-analysis of head-to-head randomized controlled trials. *Depression and Anxiety, 31*, 641–652.
- Rosario, M., Prado, H., Borcato, S., Diniz, J., Shavitt, R., Hounie, A., . . . Miguel, E. (2009). Validation of the University of São Paulo Sensory Phenomena Scale: initial psychometric properties. *CNS Spectrums, 14*, 315–323.
- Rosen, H. (1989). Piagetian theory and cognitive therapy. In A. Freeman, K. M. Simon, L. E. Beutler, & H. Arkowitz (Eds.), *Comprehensive handbook of cognitive therapy* (pp. 189–212). New York: Plenum Press.



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

Rosenberg, A., & Heimberg, R. G. (2009). Ethical issues in mentoring of doctoral students in clinical psychology. *Cognitive and Behavioral Practice, 16*, 181–190.

Rosqvist, J., Thomas, J. C., & Egan, D. (2002). Home-based cognitive-behavioral treatment of chronic, refractory obsessive-compulsive disorder can be effective: single case analysis of four patients. *Behavior Modification, 26*, 205–222.

Rowa, K., Antony, M. M., Summerfeldt, L. J., Purdon, C., Young, L., & Swinson, R. P. (2007). Office-based vs. home-based behavioral treatment for obsessive-compulsive disorder: a preliminary study. *Behaviour Research and Therapy, 45*, 1883–1892.

Rufer, M., Grothusen, A., Mab, R., Peter, H., & Hand, I. (2005). Temporal stability of symptom dimensions in adult patients with obsessive-compulsive disorder. *Journal of Affective Disorders, 88*, 99–102.

Ruscio, A., Stein, D., Chiu, W., & Kessler, R. (2010). The epidemiology of obsessive-compulsive disorder in the National Comorbidity Survey Replication. *Molecular Psychiatry, 15*, 53–63.

Safran, J. D. (1990a). Towards a refinement of cognitive therapy in light of interpersonal therapy: I. Theory. *Clinical Psychology Review, 10*, 87–105.

Safran, J. D. (1990b). Towards a refinement of cognitive therapy in light of interpersonal therapy: II. *Clinical Psychology Review, 10*, 107–121.

Salkovskis, P. M. (1985). Obsessional-compulsive problems: a cognitive-behavioural



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

analysis. *Behaviour Research and Therapy*, 23, 571–583.

Salkovskis, P. M. (1989). Cognitive-behavioural factors and the persistence of intrusive thoughts in obsessional problems. *Behaviour and Research Therapy*, 27, 677–682.

Salkovskis, P. M. (1991). The importance of behaviour in the maintenance of anxiety and panic: a cognitive account. *Behavioural Psychotherapy*, 19, 6–19.

Salkovskis, P. M. (1996). *Frontiers of cognitive therapy*. New York: Guilford.

Salkovskis, P. M., Forrester, E. & Richards, C. (1998). Cognitive-behavioural approach to understanding obsessional thinking. *British Journal of Psychiatry*, 173, 53–63.

Salkovskis, P. M., Shafran, R., Rachman, S., & Freeston, M. H. (1999). Multiple pathways to inflated responsibility beliefs in obsessional problems: possible origins and implications for theory and research. *Behaviour Research and Therapy*, 45, 2712–2725.

Sasson, Y., Dekel, S., Nacasch, N., Chopra, M., Zinger, Y., Amital, D., & Zohar, J. (2005). Posttraumatic obsessive-compulsive disorder: a case series. *Psychiatry Research*, 135, 145–152.

Saxena, S. S., & Rauch, S. L. (2000). Functional neuroimaging and the neuroanatomy of obsessive-compulsive disorder. *Psychiatry Clinics of North America*, 23, 563–586.

Saxena, S. S., Gorbis, E. E., O'Neill, J. J., Baker, S. K., Mandelkern, M. A., Maidment, K. M., . . . London, E. D. (2009). Rapid effects of brief intensive cognitive-behavioral therapy on brain glucose metabolism in obsessive-compulsive disorder. *Molecular*



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

Psychiatry, 14, 197–205.

Scahill, L., Riddle, M. A., McSwiggin-Hardin, M., Ort, S. I., King, R. A., Goodman, W. K., . . .

Leckman, J. F. (1997) Children's Yale-Brown Obsessive Compulsive Scale: reliability and validity. *Journal of the American Academy of Child and Adolescent Psychiatry, 36, 844–852.*

Shafran, R. (1997). The manipulation of responsibility in obsessive-compulsive disorder.

British Journal of Clinical Psychology, 36, 397–407.

Shafran, R., Thordarson, D. S., & Rachman, S. (1996). Thought–action fusion in

obsessive–compulsive disorder. *Journal of Anxiety Disorders, 10, 379–391.*

Shafran, R. R., & Rachman, S. S. (2004). Thought-action fusion: a review. *Journal of*

Behavior Therapy and Experimental Psychiatry, 35, 87–107.

Shafran, R., Clark, D., Fairburn, C., Arntz, A., Barlow, D., Ehlers, A., . . . Ost, L. (2009).

Mind the gap: improving the dissemination of CBT. *Behaviour Research and Therapy, 47, 902–909.*

Shafran, R., Radomsky, A.S., Coughtrey, A.E., & Rachman, S. (2013). Advances in the

cognitive behavioural treatment of obsessive-compulsive disorder. *Cognitive Behaviour Therapy, 42, 265–274.*

Shavitt, R. G., de Mathis, M. A., Oki, F., Ferrao, Y. A., Fontenelle, L. F., Torres, A. R., . . .

Simpson, H. B. (2014). Phenomenology of OCD: lessons from a large multicenter study and implications for ICD-11. *Journal of Psychiatric Research, 57, 141–148.*



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

Simpson, H. B., Franklin, M. E., Cheng, J., Foa, E. B., & Liebowitz, M. R. (2005). Standard criteria for relapse are needed in obsessive-compulsive disorder. *Depression and Anxiety, 21*, 1–8.

Simpson, H. B., Huppert, J. D., Petkova, E., Foa, E. B., & Liebowitz, M. R. (2006). Response versus remission in obsessive-compulsive disorder. *Journal of Clinical Psychiatry, 67*, 269–276.

Simpson, H. B., Foa, E. B., Liebowitz, M. R., Ledley, D. R., Huppert, J. D., Cahill, S., . . . Petkova, E. (2008). A randomized, controlled trial of cognitive-behavioral therapy for augmenting pharmacotherapy in obsessive-compulsive disorder. *American Journal of Psychiatry, 165*, 621–630.

Simpson, H. B., Maher, M., Page, J. R., Gibbons, C. J., Franklin, M. E., & Foa, E. B. (2010). Development of a patient adherence scale for exposure and response prevention therapy. *Behavior Therapy, 41*, 30–37.

Simpson, H. B., Maher, M. J., Wang, Y., Bao, Y., Foa, E. B., & Franklin, M. (2011). Patient adherence predicts outcome from cognitive behavioral therapy in obsessive-compulsive disorder. *Journal of Consulting and Clinical Psychology, 79*, 247–252.

Simpson H. B., Marcus, S. M., Zuckoff, A., Franklin, M. E., & Foa, E. B. (2012). Patient adherence to cognitive-behavioral therapy predicts long-term outcome in obsessive-compulsive disorder. *Journal of Clinical Psychiatry, 73*, 1265–1266.

Simpson, H. B., Foa, E. B., Liebowitz, M. R., Huppert, J. D., Cahill, S., Maher, M. J., . . . Campeas, R. (2013). Cognitive-behavioral therapy vs risperidone for augmenting



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

serotonin reuptake inhibitors in obsessive-compulsive disorder: a randomized clinical trial. *JAMA Psychiatry*, 70, 1190–1198.

Simpson, H. B., & Reddy, J. (2014). Obsessive compulsive disorder for ICD-11: proposed revisions to the diagnostic guidelines. *Revista Brasileira de Psiquiatria*.

Singer, H. S., Gilbert, D. L., Wolf, D. S., Mink, J. W., & Kurlan, R. (2011) Moving from PANDAS to CANS. *The Journal of Pediatrics*, 160, 725–731.

Solem, S., Håland, Å., Vogel, P. A., Hansen, B., & Wells, A. (2009). Change in metacognitions predicts outcome in obsessive-compulsive disorder patients undergoing treatment with exposure and response prevention. *Behaviour Research And Therapy*, 47, 301–307.

Skoog, G., & Skoog, I. (1999). A 40-year follow-up of patients with obsessive-compulsive disorder. *Archives of General Psychiatry*, 56, 121–127.

Sookman, D. (2016). Specialized cognitive behavior therapy for Obsessive Compulsive Disorder: An expert clinician guidebook, Routledge.

Sookman, D. (2015). Ethical practice of cognitive behavior therapy. In J. Z. Sadler, C. W. van Staden, & K. W. M., Fulford (Eds.), *The oxford handbook of psychiatric ethics*. Oxford: Oxford University Press, pp. 1293-1305.

Sookman, D., Pinard, G., & Beauchemin, N. (1994). Multidimensional schematic restructuring treatment for obsessions. Theory and practice. *Journal of Cognitive Psychotherapy*, 8, 175–194.



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

Sookman, D., & Pinard, G. (1999). Integrative cognitive therapy for obsessive-compulsive disorder: a focus on multiple schemas. *Cognitive and Behavioral Practice, 6*, 351–362.

Sookman, D., Pinard, G., & Beck, A. T. (2001). Vulnerability schemas in obsessive-compulsive disorder. *Journal of Cognitive Psychotherapy: An International Quarterly, 15*, 109–130.

Sookman, D., & Pinard, G. (2002). Overestimation of threat and intolerance of uncertainty in obsessive compulsive disorder. In R. O. Frost & G. Steketee (Eds.), *Cognitive approaches to obsessions and compulsions: Theory, assessment and treatment* (pp. 63–89). Oxford: Elsevier.

Sookman, D., Dalfen, S., Annable, L., & Pinard, G. (2003, March). Change in dysfunctional beliefs and symptoms during CBT for resistant OCD. Paper presented at the 23rd annual convention of the Anxiety Disorders Association of America, Toronto, Canada.

Sookman, D., Abramowitz, J. S., Calamari, J. E., Wilhelm, S., & McKay, D. (2005). Subtypes of obsessive-compulsive disorder: implications for specialized cognitive behavior therapy. *Behavior Therapy, 36*, 393–400.

Sookman, D., & Fineberg, N. (2015). Specialized Psychological and Pharmacological Treatments for Obsessive-Compulsive Disorder throughout the lifespan: A special series by the Accreditation Task Force (ATF) of The Canadian Institute for Obsessive Compulsive Disorders (CIOCD, www.ciocd.ca), *Psychiatry Research*,



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

227, 74-77.

- Sookman, D., & Pinard, G. (2007). Specialized cognitive behavior therapy for resistant obsessive compulsive disorder: elaboration of a schema based model. In Riso, L. P., du Toit, P. L., Stein, D. J., & Young, J. E. (Eds.), *Cognitive schemas and core beliefs in psychological problems: A scientist-practitioner guide* (pp. 93–109). Washington, DC: American Psychological Association.
- Sookman, D., & Steketee, G. (2007). Directions in specialized cognitive behavior therapy for resistant obsessive-compulsive disorder: theory and practice of two approaches. *Cognitive and Behavioral Practice, 14*, 1–17.
- Sookman, D., & Steketee, G. (2010). Specialized cognitive behavior therapy for treatment resistant obsessive compulsive disorder. In Sookman, D., & Leahy, R. (Eds.), *Treatment resistant anxiety disorders: resolving impasses to symptom remission* (pp. 31–74). New York: Routledge.
- Steketee, G. S. (1993). *Treatment of obsessive compulsive disorder*. New York: Guilford Press.
- Steketee, G. S. (1997). Disability and family burden in obsessive compulsive disorder. *Canadian Journal of Psychiatry, 42*, 919–928.
- Steketee, G. S., & Frost, R. O. (1994). Measurement of risk-taking in obsessive-compulsive disorder. *Behavioural and Cognitive Psychotherapy, 22*, 287–298.
- Steketee, G. S., Chambless, D. L., Tran, G. Q., Worden, H., & Gillis, M. A. (1996).



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

Behavioral avoidance test for obsessive-compulsive disorder. *Behaviour Research and Therapy*, 34, 73–83

- Steketee, G. S., Henninger, N. J., & Pollard, C. A. (2000). Predicting treatment outcome for obsessive-compulsive disorder: effects of comorbidity. In W. K. Goodman, M. V. Rudorfer & J. D. Maser (Eds.), *Obsessive-compulsive disorder: Contemporary issues in treatment* (pp. 257–274). New Jersey: Lawrence Erlbaum Associates
- Steketee, G. S., Chambless, D. L., & Tran, G. Q. (2001). Effects of axis I and II comorbidity on behavior therapy outcome for obsessive-compulsive disorder and agoraphobia. *Comprehensive Psychiatry*, 42, 76–86.
- Steketee, G. S., & Neziroglu, F. (2003). Assessment of obsessive-compulsive disorder and spectrum disorders. *Brief Treatment and Crisis Intervention*, 3, 169–185.
- Steketee, G. S., Lam, J. N., Chambless, D. L., Rodebaugh, T. L., & McCullouch, C. E. (2007). Effects of perceived criticism on anxiety and depression during behavioral treatment of anxiety disorders. *Behaviour Research And Therapy*, 45, 11–19.
- Steketee, G. S., & Frost, R. O. (2014). *Treatment for hoarding disorder: Workbook* (2nd ed.). Oxford: Oxford University Press.
- Stewart, S. E., Stack, D. E., Farrell, C., Pauls, D. L., & Jenike, M. A. (2005). Effectiveness of intensive residential treatment (IRT) for severe, refractory obsessive-compulsive disorder. *Journal of Psychiatric Research*, 39, 603–609.
- Stewart, S. E., Yu, D. D., Scharf, J. M., Neale, B. M., Fagemess, J. A., Mathews, C. A., . . .



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

Nestadt, G. (2013). Genome-wide association study of obsessive-compulsive disorder: correction. *Molecular Psychiatry*, *18*, 788–798.

Stobie, B., Taylor, T., Quigley, A., Ewing, S., & Salkovskis, P. M. (2007). “Contents may vary”: a pilot study of treatment histories of OCD patients. *Behavioural and Cognitive Psychotherapy*, *35*, 273–282.

Storch, E. A., Murphy, T. K., Goodman, W. K., Geffken, G. R., Lewin, A. B., Henin, A., . . . Geller, D. A. (2010). A preliminary study of D-cycloserine augmentation of cognitive-behavioral therapy in pediatric obsessive-compulsive disorder. *Biological Psychiatry*, *68*, 1073–1076.

Summerfeldt, L. J. (2004). Understanding and treating incompleteness in obsessive-compulsive disorder. *Journal of Clinical Psychology*, *60*, 1155–1168.

Summerfeldt, L. J. (2007). Treating incompleteness, ordering, and arranging concerns. In M. M. Antony, L. J. Summerfeldt (Eds.), *Psychological treatment of obsessive-compulsive disorder: Fundamentals and beyond* (pp. 187–207). Washington, DC: American Psychological Association.

Summerfeldt, L. J., Kloosterman, P. H., Antony, M. M., & Swinson, R. P. (2014). Examining an obsessive-compulsive core dimensions model: Structural validity of harm avoidance and incompleteness. *Journal of Obsessive-Compulsive and Related Disorders*, *3*, 83–94.

Swedo, S. E., Leckman, J. F., & Rose, N. R. (2012). From research subgroup to clinical syndrome: modifying the PANDAS criteria to describe PANS (Pediatric Acute-



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

onset Neuropsychiatric Syndrome). *Pediatrics and Therapeutics*, 2, 1–8.

Sy, J. T., Dixon, L. J., Lickel, J. J., Nelson, E. A., & Deacon, B. J. (2011). Failure to replicate the deleterious effects of safety behaviors in exposure therapy. *Behaviour Research and Therapy*, 49, 305–314.

Szymanski, J., (2012). Using direct-to-consumer marketing strategies with obsessive-compulsive disorder in the nonprofit sector. *Behavior Therapy*, 43, 251–256.

Tallis, F. (1997). The neuropsychology of obsessive-compulsive disorder: a review and consideration of clinical implications. *British Journal of Clinical Psychology*, 36, 3–20.

Taylor, S., Abramowitz, J. S., McKay, D., Calarari, J. E., Sookman, D., Kyrios, M., Wilhelm, S., & Carmin, C. (2006). Do dysfunctional beliefs play a role in all types of obsessive-compulsive disorder? *Journal of Anxiety Disorder*, 20, 85–97.

Taylor, S., Abramowitz, J. S., & McKay, D. (2007). Cognitive-behavioral models of obsessive-compulsive disorder. In M. M. Antony, C. Purdon, & L. Summerfeldt (Eds.), *Psychological treatment of obsessive-compulsive disorder: Fundamentals and beyond*. Washington, DC: APA Books.

Taylor, S., McKay, D., Miguel, E. C., De Mathis, M. A., Andrade, C., Ahuja, N., Sookman, D., . . . Storch, E. A. (2014). Musical obsessions: a comprehensive review of neglected clinical phenomena. *Journal of Anxiety Disorders*, 28, 580-589.

Teasdale, J. D., & Barnard, P. J. (1993). *Affect, cognition, and change: Re-modeling*



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

depressive thought. Hillsdale, NJ: Lawrence Erlbaum.

- Teasdale, J. D. (1997). The relationship between cognition and emotion: The mind-in-place in mood disorders. In D. M. Clark & C. G. Fairburn (Eds.), *Science and practice of cognitive behavior therapy* (pp. 67–93). Oxford: Oxford University Press.
- Tenney, N. H., Denys, D. P., van Meegen, H. M., Glas, G., & Westenberg, H. M. (2003). Effect of a pharmacological intervention on quality of life in patients with obsessive-compulsive disorder. *International Clinical Psychopharmacology*, *18*, 29–33.
- Thimm, J. C. (2011). Incremental validity of maladaptive schemas over five-factor model facets in the prediction of personality disorder symptoms. *Personality and Individual Differences*, *50*, 777–782.
- Thompson-Hollands, J., Edson, A., Tompson, M. C., & Comer, J. S. (2014). Family involvement in the psychological treatment of obsessive–compulsive disorder: a meta-analysis. *Journal of Family Psychology*, *28*, 287–298.
- Tolin, D. F. (2010). Is cognitive-behavioral therapy more effective than other therapies? A meta-analytic review. *Clinical Psychology Review*, *30*, 710–720.
- Tolin, D. F. (in press). Beating a dead dodo bird: Looking at signal vs. noise in cognitive behavioral therapy for anxiety disorders. *Clinical Psychology: Science and Practice*.
- Tolin, D. F., Maltby, N., Diefenbach, G. J., Hannan, S. E., & Worhunsky, P. (2004).



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

Cognitive-behavioral therapy for medication nonresponders with obsessive-compulsive disorder: a wait-list-controlled open trial. *Journal of Clinical Psychiatry* 65, 922–931.

Tolin, D. F., Abramowitz, J. S., & Diefenbach, G. J. (2005). Defining “response” in clinical trials for OCD: a signal detection analysis of the Yale–Brown Obsessive Compulsive Scale. *Journal of Clinical Psychiatry*, 66, 1549–1557.

Tolin, D. F., Frost, R. O., & Steketee, G. (2007). An open trial of cognitive-behavioral therapy for compulsive hoarding. *Behaviour Research and Therapy*, 45, 1461–1470.

Van den Hout, M. A., Engelhard, I. M., Toffolo, M. B. J., & van Uijen, S. L. (2011). Exposure plus response prevention versus exposure plus safety behaviours in reducing feelings of contamination, fear, danger and disgust. An extended replication of Rachman, Shafran, Radomsky & Zysk (2011). *Journal of Behavior Therapy and Experimental Psychiatry*, 42, 364–370.

Van Dyke, M. M., & Pollard, C. A. (2005). Treatment of refractory obsessive–compulsive disorder: the St. Louis Model. *Cognitive and Behavioural Practice*, 12, 30–39.

Van Grootheest, D. S., Cath, D. C., Beekman, A. T., & Boomsma, D. I. (2005). Twin studies on obsessive-compulsive disorder: a review. *Twin Research and Human Genetics*, 5, 450–458.

van Oppen, P., van Balkom, A. J. L. M., de Haan, E., & van Dyck, R. (2005). Cognitive therapy and exposure in vivo alone and in combination with fluvoxamine in



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

obsessive-compulsive disorder: a 5-year follow-up. *Journal of Clinical Psychiatry*, 66, 1415–1422.

Veale, D. (2007). Cognitive–behavioural therapy for obsessive–compulsive disorder. *Advances in Psychiatric Treatment*, 13, 438–446.

Veale, D., & Willson, R. (2005). *Overcoming obsessive compulsive disorder*. London: Constable Robinson Publishing.

Veale, D., Freeston, M., Krebs, G., Heyman, I., & Salkovskis, P. M., 2009. Risk assessment and management in obsessive-compulsive disorder. *Advances in Psychiatric Treatment*, 15, 332–343.

Voderholzer, U., Schwartz, C., Thiel, N., Kuelz, A., Hartmann, A., Scheidt, C., . . . Zeeck, A. (2014). A comparison of schemas, schema modes and childhood traumas in obsessive-compulsive disorder, chronic pain disorder and eating disorders. *Psychopathology*, 47, 24–31.

Vogel, P., Stiles, T. C., & Götestam, K. G. (2004). Adding cognitive therapy elements to exposure therapy for obsessive compulsive disorder: a controlled study. *Behavioural and Cognitive Psychotherapy*, 32, 275–290.

Volz, C. & Heyman, I. (2007). Case series: transformation obsession in young people with obsessive-compulsive disorder (OCD). *Journal of the American Academy of Child and Adolescent Psychiatry*, 46, 766–772.

Warnock-Parkes, E., Salkovskis, P. M., & Rachman, J. (2012). When the problem is



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

beneath the surface on OCD: the cognitive treatment of a case of pure mental contamination. *Behavioural and Cognitive Psychotherapy*, 40, 383–399.

Wells, A. (2000). *Emotional disorders and metacognition: Innovative cognitive therapy*. Chichester, UK: Wiley.

Wells, A., & Matthews, G. (1994). *Attention and emotion: A clinical perspective*. Hove, U.K.: Lawrence Erlbaum

Whittal, M. L., Robichaud, M., Thordarson, D. S., & McLean, P. D. (2008). Group and individual treatment of obsessive-compulsive disorder using cognitive therapy and exposure plus response prevention: a 2-year follow-up of two randomized trials. *Journal of Consulting and Clinical Psychology*, 76, 1003-1014.

Whittal, M. L., Woody, S. R., McLean, P. D., Rachman, S. J., & Robichaud, M. (2010). Treatment of obsessions: a randomized controlled trial. *Behaviour Research and Therapy*, 48, 295–303.

Whittal, M. L., & Robichaud, M. (2012). Cognitive treatment of OCD. In G. Steketee (Eds.), *The Oxford handbook of obsessive compulsive and spectrum disorders* (pp. 345-364). Oxford: Oxford University Press.

Wilhelm, S., & Steketee, G. (2006). *Cognitive therapy of obsessive-compulsive disorder: A guide for professionals*. Oakland, CA: New Harbinger.

Williams, M. T., Mugno, B., Franklin, M., & Faber, S. (2013). Symptom dimensions in obsessive-compulsive disorder: phenomenology and treatment outcomes with



The Canadian Institute for
Obsessive Compulsive Disorders

l'institut Canadien des Troubles Obsessifs Compulsifs

exposure and ritual prevention. *Psychopathology*, 46, 365–376.

Williams, M. T., Farris, S. G., Turkheimer, E. N., Franklin, M. E., Simpson, H., Liebowitz, M., & Foa, E. B. (2014). The impact of symptom dimensions on outcome for exposure and ritual prevention therapy in obsessive-compulsive disorder. *Journal of Anxiety Disorders*, 28, 553-558.

World Health Organization. (WHO 2008). The global burden of disease: 2004 update. Retrieved from:

http://www.who.int/healthinfo/global_burden_disease/2004_report_update/en/